

Material Safety Data Sheet

EVERLASTING ELEGANCE- PARTS "A" and "B"

MSDS No. _____

Date of Preparation: May 5, 2003

Section 1 - Chemical Product and Company Identification

Product/Chemical Name: Everlasting Elegance Parts "A" and "B"

Chemical Formula: N/A

CAS Number: N/D

Other Designations: Blend

Manufacturer: Syndicate Sales, Inc., 2025 N. Wabash Street, Kokomo, IN 46903-0756, Phone (765) 457-7277

Section 2 - Composition / Information on Hazardous Ingredients

Ingredient Name	Exposure Limits	CAS Number	% wt. or % vol.
Product does not contain components that have established exposure limits	NA	NA	NA

Section 3 - Hazards Identification

☆☆☆☆☆ Emergency Overview ☆☆☆☆☆

HMIS	
H	3
F	1
R	0

Potential Health Effects

Primary Entry Routes: Inhalation, ingestion, skin absorption.

Target Organs: Respiratory system, skin, eyes

Acute Effects: Skin burns, allergic skin reaction severe eye irritation or eye damage, respiratory irritation, abdominal pain, vomiting, nausea.

Inhalation: Irritation to respiratory system.

Eye: Irritation and redness with direct contact.

Skin: Irritation and redness with direct contact. Possible skin sensitization.

Ingestion: Swallowing this product may be harmful.

Carcinogenicity: N/R.

Chronic Effects from Long-Term Exposure: N/D

Section 4 - First Aid Measures

Inhalation: Remove to fresh air.

Eye Contact: Irrigate immediately with water for a minimum of 15 minutes. Get medical attention immediately and continue irrigating if medical attention is not readily available.

Skin Contact: Flush with water for at least 15 minutes. Remove contaminated clothing. Consult physician.

Ingestion: Do not induce vomiting. Drink 16 oz. water immediately. Consult physician.

Note to Physicians: N/A

Special Precautions/Procedures: N/A

Section 5 - Fire-Fighting Measures

Flash Point: > 225 degrees F.

Flash Point Method: Pensky-Martens Closed-Cup

Burning Rate: N/D

Autoignition Temperature: N/D

LEL: N/A

UEL: N/A

Flammability Classification: N/D

Extinguishing Media: Water spray, foam, dry chemical or carbon dioxide.

Unusual Fire or Explosion Hazards: Cool exposed containers with water spray to prevent pressure buildup.

Hazardous Combustion Products: Heating above 300 degrees F. may cause slow oxidative decomposition. Heating above 500 degrees F. may cause polymerization and result in a variety of chemical and thermal decompositions.

Fire-Fighting Instructions: Do not release runoff from fire control methods to sewers or waterways. Keep fire exposed containers cool with water spray.

MSDS No.

EVERLASTING ELEGANCE PARTS "A" and "B"

Fire-Fighting Equipment: Water spray, foam, dry chemical or carbon dioxide. Water/foam may cause frothing.

Section 6 - Accidental Release Measures

Spill /Leak Procedures:

Do not release into the environment (sewers, groundwater or waterways)

Small Spills: Collect spilled liquid in sealable container. Absorb remaining liquid with sand or inert absorbent. Remove to a safe place.

Large Spills: Follow recommendations for small spills. Do not release into the environment.

Containment: Remove to a safe place away from food storage and where children play until disposed properly.

Cleanup: Dispose of spill residue properly.

Regulatory Requirements: Follow applicable OSHA regulations (29 CFR 1910.1200), EPA Regulations (40 CFR 355), applicable state regulations.

Section 7 - Handling and Storage

Handling Precautions: Avoid contact with skin, eyes and clothing. Store in areas less than 100 degrees F. Avoid sparks and flame.

Storage Requirements: Do not store near food area or where children play.

Regulatory Requirements: N/D

Section 8 - Exposure Controls / Personal Protection

Engineering Controls:

Ventilation: Use in well ventilated area.

Administrative Controls: N/A

Respiratory Protection: No respiratory equipment is needed during normal usage.

Protective Clothing/Equipment: Chemically protective gloves, safety glasses.

Safety Stations: N/A

Contaminated Equipment: N/A

Comments: N/A

Section 9 - Physical and Chemical Properties

Physical State: Thick Liquid

Appearance and Odor: Ammonia like odor

Odor Threshold: N/D

Vapor Pressure: N/D

Vapor Density (Air=1): N/D

Formula Weight: N/A

Density: .N/D

Specific Gravity (H₂O=1, at 4 °C): N/D

Flashpoint: greater than 225 degrees F.

Water Solubility: Soluble

Other Solubilities: N/D

Boiling Point: N/D

Freezing/Melting Point:
N/D

Viscosity: N/A

Refractive Index: N/D

Surface Tension: N/D

% Volatile: N/D

Evaporation Rate: N/D

10% pH:

Total Solids: N/D

Section 10 - Stability and Reactivity

Stability: Stable at temperatures in closed containers under normal storage and handling conditions. Avoid excessive heat.

Polymerization: N/D

Chemical Incompatibilities: Reacts with oxidants, strong Lewis or mineral acids and organic bases especially primary and secondary aliphatic amines. Reacts with some curing agents and may produce considerable heat and violent decomposition.

Conditions to Avoid: Store in closed containers away from oxidants, bases, mineral acids.

Hazardous Decomposition Products: Carbon dioxide, Carbon monoxide, Nitrous oxide

May 5, 2003

EVERLASTING ELEGANCE PARTS "A" and "B" MSDS No.

Section 11 - Toxicological Information

Registry of Toxic Effects of Chemical Substances (RTECS) Toxicity Data:

Eye: No human data (N/D) Carcinogenicity: N/D
Skin: N/D "Tumorigen"-N/D
Ingestion: N/D Mutagenicity N/D
Inhalation: N/D Teratogenicity: N/D
Acute Inhalation Effects: N/D
Acute Oral Effects: N/D
Chronic Effects: N/D

Section 12 - Ecological Information

Ecotoxicity: N/D
Environmental Fate: N/D
Environmental Degradation: N/D
Soil Absorption/Mobility: N/D

Section 13 - Disposal Considerations

Disposal: Contact your supplier or a licensed contractor for detailed recommendations. Follow applicable Federal, state, and local regulations.
Disposal Regulatory Requirements: N/D
Container Cleaning and Disposal: N/D

Section 14 - Transport Information

DOT Transportation Data (49 CFR 172.101):

Shipping Name: Amines, liquid, corrosive, NOS	Packaging Authorizations	Quantity Limitations
Shipping Symbols: 153	a) Exceptions: 49 CFR 173.154	a) Passenger, Aircraft, or Railcar: 5 L
Hazard Class: 8	b) Non-bulk Packaging: 49 CFR 173.203	b) Cargo Aircraft Only: 60 L
ID No.: UN2735	c) Bulk Packaging: 49 CFR 173.241	Vessel Stowage Requirements
Packing Group: III		a) Vessel Stowage: A
Label: 8		b) Other: N/D
Special Provisions(172.102): T8 (applies only to pressurized containers).		

Section 15 - Regulatory Information

EPA Regulations:

RCRA Hazardous Waste Number (40 CFR 261.33): Not listed
RCRA Hazardous Waste Classification (40 CFR 261.20): Non-Hazardous
CERCLA Hazardous Substance (40 CFR 302.4) Not listed
CERCLA Reportable Quantity (RQ) N/A
SARA 311/312 Codes: Immediate (Acute) Health Hazard. Chronic (Delayed) Health Hazard.
SARA Toxic Chemical (40 CFR 372.65): Not listed
SARA EHS (Extremely Hazardous Substance) (40 CFR 355): Not listed
TSCA Reporting Status: The resin is a compound of unknown or variable composition, complex reaction products, and / or biologic materials. All other products are either exempt or not listed.

Carcinogen: Not classified.

OSHA Regulations: Not listed.

State Regulations: None

Section 16 - Other Information

Prepared By: Mary Dunlap and Mack Overton

Revision Notes: May 5, 2003

Additional Hazard Rating Systems: N/A

MSDS No. _____

EVERLASTING ELEGANCE PARTS "A" and "B"

Disclaimer: The information provided on this Material Safety Data Sheet is accurate to the best of our knowledge. However, Syndicate Sales, Inc. does not make any warranty, expressed or implied, or accepts any liability in connection with this information and use.